

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016  
on personal protective equipment and repealing Council Directive 89/686/EEC

**A.N.C.I. Servizi s.r.l. a socio unico - sezione C.I.M.A.C.**  
**Community Identification N° 0465**

Grants:

Manufacturer:  
**COFRA S.R.L.**  
**VIA DELL'EURO 53-57-59**  
**76121 BARLETTA BT**

**EU TYPE-EXAMINATION CERTIFICATE MODULE B**  
**N° G-100-00986-18**

for the following model of Personal Protective Equipment

**Type of PPE:** Protective gloves against mechanical risks, thermal risk  
(heat and/or fire) and against cold  
**Article:** FLEXYCOTTON – G022  
**Category of PPE:** II

Protective glove for professional use according to armonized standard (\*)  
**EN 388:2016, EN 407:2004, EN 511:2006**

**Picture of the basic model**



**Description of the model:** Five finger-glove

**Composition:** Cotton, latex

**Manufacturer's  
identification mark:** COFRA

**Manufacturing process:** sewed and immersed

**Size range:** FROM 6 TO 11

| <b>Levels of protection:</b> |                                | Level |
|------------------------------|--------------------------------|-------|
| EN 388                       | Abrasion resistance            | 2     |
|                              | Blade cut resistance           | 1     |
|                              | Tear resistance                | 2     |
|                              | Puncture resistance            | 1     |
|                              | TDM: cut resistance            | X     |
|                              |                                |       |
| EN 420                       | Dexterity                      | 5     |
| EN 407                       | Burn behavior                  | X     |
|                              | Contact heat                   | 2     |
|                              | Convective heat                | X     |
|                              | Radiant heat                   | X     |
|                              | Small splashes of molten metal | X     |
|                              | Large splashes of molten metal | X     |
| EN 511                       | Contact cold                   | X     |
|                              | Convective cold                | 1     |
|                              | Water penetration              | X     |
|                              |                                |       |

**Test Reports:** The results of tests and examinations are contained in the following test reports:

|                     |       |            |
|---------------------|-------|------------|
| RP 2018\0683-1-RP-3 | dated | 19/09/2018 |
| RP 2013\1426-6-RP-2 | dated | 08/07/2013 |

**Marking:** The label inside the gloves or boxes shows the following information:

- CE Marking (at least 5mm high)
- CE0465 (III category only)
- Name and postal address of the Manufacturer
- manufacturer's type designation
- Composition
- the number and year of the reference European standard
- Category and additional requirements of the PPE
- Harmonized pictogram
- Month and year of fabrication
- Size
- Batch number
- Reference of informative note

(\*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

**Validity conditions:** This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date.

All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC.

This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".

This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.

Vigevano, 20/09/2018

Technical Responsible  
Ing. Giuseppe Bellotti

**First issue date: 20-09-2018**  
**Revision date:**  
**Expiry date: 20-09-2023**

